

PRODUCT SPECIFICATION

Product PN

FP055DSL44QANC01, FP070DSL44QANC01, FP090DSL44QANC01,
FP110DSL44QANC01, FP125DSL44QANC01, FP150DSL44QANC01,
FP185DSL44QANC01, FP240DSL44QANC01, FP320DSL44QANC01

Mod. 984

Rev. 01

Description

Quantitative Filter Papers

Quantitative Filter Papers – Ashless, Slow



PRODUCT DESCRIPTION

Quantitative filter paper, hardened ashless filter paper with high retention and slow flow rate.

Part Number	Diameter	Quantity/pk
FP055DSL44QANC01	55 mm	100/Pk
FP070DSL44QANC01	70 mm	100/Pk
FP090DSL44QANC01	90 mm	100/Pk
FP110DSL44QANC01	110 mm	100/Pk
FP125DSL44QANC01	125 mm	100/Pk
FP150DSL44QANC01	150 mm	100/Pk
FP185DSL44QANC01	185 mm	100/Pk
FP240DSL44QANC01	240 mm	100/Pk
FP320DSL44QANC01	320 mm	100/Pk

MANUFACTURE NAME

GVS North America, Inc.
63 Community Drive
Sanford, ME 04073
Phone: +1.866.736.1250
Email: CustomerCareGVSL@gvs.com
Website: www.gvs.com

INTENDED USE/ APPLICATION

Typical Applications:

- Quantitative analysis
- Gravimetric metal determination
- Filtering very fine precipitates

MATERIALS

Material: Quartz filter paper

Regulatory Documentation Required:



- ☐ Biocompatibility according ISO 10993-1
- ☐ IMDS
- ☒ Rohs, directive 2002/95/CE
- ☒ BSE/TSE, directive 2003/32/CE
- ☐ DEHP plasticizer and latex free
- ☐ Aging
- ☒ Reach 1907/2006/CE (hazardous substances regulation)
- ☐ Dir. 67/548/CE and Reg. 1272/2008/CE (medical sector dangerous substances)

PRODUCT SPECIFICATION

Product PN	FP055DSL44QANC01, FP070DSL44QANC01, FP090DSL44QANC01, FP110DSL44QANC01, FP125DSL44QANC01, FP150DSL44QANC01, FP185DSL44QANC01, FP240DSL44QANC01, FP320DSL44QANC01	Mod. 984
Description	Quantitative Filter Papers	Rev. 01

	<input checked="" type="checkbox"/> Conflict minerals <input type="checkbox"/> USP Class VI
PRODUCT CHARACTERISTICS	<ul style="list-style-type: none"> Weight: 80/gm² Thickness: 160 um Retention Range: 2-4 um Ash content: <0.007%
PRODUCT SHELF LIFE	5 years in normal storage conditions: Store the product at room temperate, in a dry place, free of dust and not exposed to direct sunlight.
STERILIZATION	Not applicable - This is a non-sterile product.
PACKAGING AND LABELING	<ul style="list-style-type: none"> 100 bulk packed filters in a gloss finished, chipboard box Each box will be labeled with: <ul style="list-style-type: none"> Quantity Product item code and description Lot number Storage conditions
CERTIFICATE OF COMPLIANCE	A conformity declaration will be sent to the customer for each shipment with lot number and date of manufacture. The Quality management system is in compliance with ISO 9001.
This material specification describes the properties of product above indicated. This document contains general requirements, material description, drawing references, defect specification, and biological material requirements.	

REVISIONS AND APPROVALS:

DATE	REV	REASON FOR CHANGE	ISSUED AND CONTROLLED BY: (name /function and signature)	APPROVED BY: (name /function and signature)
11/4/19	0	Initial release	Joe DeSisto, Director, Process Engineering 	Kevin Wrigley/Director of Quality 

PRODUCT SPECIFICATION

Product PN	FP055DSL44QANC01, FP070DSL44QANC01, FP090DSL44QANC01, FP110DSL44QANC01, FP125DSL44QANC01, FP150DSL44QANC01, FP185DSL44QANC01, FP240DSL44QANC01, FP320DSL44QANC01	Mod. 984
Description	Quantitative Filter Papers	Rev. 01

CUSTOMER APPROVAL:

We accept this material specification as a part of the agreed terms of delivery.

Company name _____

Approved by: _____
(Name, Function) (Signature)

Date _____
(Company stamp)

Please send back this document signed for approval. If we will not receive this specification signed, we consider the first order placed as implicit approval.