

Product PN	3003072, 1214912, 1213325, 1215588, 1215589, 1221996, 1214974, 1225509, 1212763, 1214671, 3034573, 3034574, 1220678, 1220887	Mod. 984
Description	Glass Fiber Filters without Binder	Rev. 01

**Glass Fiber Filters without Binder,
1.0um**




PRODUCT DESCRIPTION	<p>Glass Fiber membranes without binders, composed of Borosilicate glass fibers</p> <table border="1" style="margin-left: auto; margin-right: auto;"> <thead> <tr> <th>Part Number</th> <th>Diameter</th> <th>Quantity/pk</th> </tr> </thead> <tbody> <tr><td>3003072</td><td>6 mm</td><td>100/pk</td></tr> <tr><td>1214912</td><td>10 mm</td><td>100/Pk</td></tr> <tr><td>1213325</td><td>25 mm</td><td>500/Pk</td></tr> <tr><td>1215588</td><td>37 mm</td><td>100/Pk</td></tr> <tr><td>1215589</td><td>47 mm</td><td>500/Pk</td></tr> <tr><td>1221996</td><td>65 mm</td><td>100/Pk</td></tr> <tr><td>1214974</td><td>82 mm</td><td>100/Pk</td></tr> <tr><td>3015810</td><td>85 mm</td><td>100/Pk</td></tr> <tr><td>1225509</td><td>90 mm</td><td>25/Pk</td></tr> <tr><td>1212763</td><td>90 mm</td><td>100/Pk</td></tr> <tr><td>1214671</td><td>102 mm</td><td>100/Pk</td></tr> <tr><td>3034573</td><td>110 mm</td><td>25/Pk</td></tr> <tr><td>3034574</td><td>142 mm</td><td>25/pk</td></tr> <tr><td>1220678</td><td>257 mm</td><td>100/pk</td></tr> <tr><td>1220887</td><td>293 mm</td><td>25/pk</td></tr> </tbody> </table>	Part Number	Diameter	Quantity/pk	3003072	6 mm	100/pk	1214912	10 mm	100/Pk	1213325	25 mm	500/Pk	1215588	37 mm	100/Pk	1215589	47 mm	500/Pk	1221996	65 mm	100/Pk	1214974	82 mm	100/Pk	3015810	85 mm	100/Pk	1225509	90 mm	25/Pk	1212763	90 mm	100/Pk	1214671	102 mm	100/Pk	3034573	110 mm	25/Pk	3034574	142 mm	25/pk	1220678	257 mm	100/pk	1220887	293 mm	25/pk
Part Number	Diameter	Quantity/pk																																															
3003072	6 mm	100/pk																																															
1214912	10 mm	100/Pk																																															
1213325	25 mm	500/Pk																																															
1215588	37 mm	100/Pk																																															
1215589	47 mm	500/Pk																																															
1221996	65 mm	100/Pk																																															
1214974	82 mm	100/Pk																																															
3015810	85 mm	100/Pk																																															
1225509	90 mm	25/Pk																																															
1212763	90 mm	100/Pk																																															
1214671	102 mm	100/Pk																																															
3034573	110 mm	25/Pk																																															
3034574	142 mm	25/pk																																															
1220678	257 mm	100/pk																																															
1220887	293 mm	25/pk																																															
MANUFACTURE NAME	<p>GVS North America, Inc. 63 Community Drive Sanford, ME 04073 Phone: +1.866.736.1250 Email: CustomerCareGVSLs@gvs.com Website: www.gvs.com</p>																																																
INTENDED USE/ APPLICATION	<p>Typical Applications:</p> <ul style="list-style-type: none"> • Filtrations of long duration, under pressure • Solvent filtration • Gravimetric analysis • Analytical and gravimetric determinations 																																																
MATERIALS	<p>Material: Quartz filter paper</p> <p>Regulatory Documentation Required:</p> <p><input type="checkbox"/> Biocompatibility according ISO 10993-1</p> <p><input type="checkbox"/> IMDS</p>																																																

PRODUCT SPECIFICATION

Product PN	3003072, 1214912, 1213325, 1215588, 1215589, 1221996, 1214974, 1225509, 1212763, 1214671, 3034573, 3034574, 1220678, 1220887	Mod. 984
Description	Glass Fiber Filters without Binder	Rev. 01

	<input checked="" type="checkbox"/> RoHS, directive 2002/95/CE <input checked="" type="checkbox"/> BSE/TSE, directive 2003/32/CE <input type="checkbox"/> DEHP plasticizer and latex free <input type="checkbox"/> Aging <input checked="" type="checkbox"/> Reach 1907/2006/CE (hazardous substances regulation) <input type="checkbox"/> Dir. 67/548/CE and Reg. 1272/2008/CE (medical sector dangerous substances) <input checked="" type="checkbox"/> Conflict minerals <input type="checkbox"/> USP Class VI
PRODUCT CHARACTERISTICS	<ul style="list-style-type: none"> • Weight: 2.1-2.6 g/ps • Thickness: 0.14-0.20 mm • Air permeability: 0.30-0.60 cfm • Bubble point: >48 inches, H₂O
PRODUCT SHELF LIFE	5 years in normal storage conditions: Store the product at room temperature, in a dry place, free of dust and not exposed to direct sunlight.
STERILIZATION	Not applicable - This is a non-sterile product.
PACKAGING AND LABELING	<ul style="list-style-type: none"> • Bulk packed filters in a gloss finished, chipboard box • Each box will be labeled with: <ul style="list-style-type: none"> ○ Quantity ○ Product item code and description ○ Lot number ○ Storage conditions
CERTIFICATE OF COMPLIANCE	A conformity declaration will be sent to the customer for each shipment with lot number and date of manufacture. The Quality management system is in compliance with ISO 9001.
This material specification describes the properties of product above indicated. This document contains general requirements, material description, drawing references, defect specification, and biological material requirements.	

REVISIONS AND APPROVALS:

DATE	REV	REASON FOR CHANGE	ISSUED AND CONTROLLED BY: (name /function and signature)	APPROVED BY: (name /function and signature)
11/4/19	0	Initial release	Joe DeSisto, Director, Process Engineering 	Kevin Wrigley/Director of Quality 



FILTER TECHNOLOGY

PRODUCT SPECIFICATION

Product PN	3003072, 1214912, 1213325, 1215588, 1215589, 1221996, 1214974, 1225509, 1212763, 1214671, 3034573, 3034574, 1220678, 1220887	Mod. 984
Description	Glass Fiber Filters without Binder	Rev. 01

CUSTOMER APPROVAL:

We accept this material specification as a part of the agreed terms of delivery.

Company name _____

Approved by: _____
(Name, Function) (Signature)

Date _____
(Company stamp)

Please send back this document signed for approval. If we will not receive this specification signed, we consider the first order placed as implicit approval.