

Product PN 3029939, 1215162, 1215540, 1215541, 1215542

Mod. 984

Description Glass Fiber Filters without Binder

Rev. 01

Glass Fiber Filters without Binder, 0.7 um



PRODUCT DESCRIPTION	<p>Glass Fiber membranes without binders, composed of Borosilicate glass fibers</p> <table border="1" data-bbox="513 884 1401 1108"> <thead> <tr> <th>Part Number</th> <th>Diameter</th> <th>Quantity/pk</th> </tr> </thead> <tbody> <tr> <td>3029939</td> <td>7 mm</td> <td>500/pk</td> </tr> <tr> <td>1215162</td> <td>25 mm</td> <td>500/Pk</td> </tr> <tr> <td>1215540</td> <td>47 mm</td> <td>500/Pk</td> </tr> <tr> <td>1215541</td> <td>90 mm</td> <td>25/Pk</td> </tr> <tr> <td>1215542</td> <td>142 mm</td> <td>25/pk</td> </tr> </tbody> </table>	Part Number	Diameter	Quantity/pk	3029939	7 mm	500/pk	1215162	25 mm	500/Pk	1215540	47 mm	500/Pk	1215541	90 mm	25/Pk	1215542	142 mm	25/pk
Part Number	Diameter	Quantity/pk																	
3029939	7 mm	500/pk																	
1215162	25 mm	500/Pk																	
1215540	47 mm	500/Pk																	
1215541	90 mm	25/Pk																	
1215542	142 mm	25/pk																	
MANUFACTURE NAME	<p>GVS North America, Inc. 63 Community Drive Sanford, ME 04073 Phone: +1.866.736.1250 Email: CustomerCareGVSLs@gvs.com Website: www.gvs.com</p>																		
INTENDED USE/ APPLICATION	<p>Typical Applications:</p> <ul style="list-style-type: none"> • Filtrations of long duration, under pressure • Solvent filtration • Gravimetric analysis • Analytical and gravimetric determinations 																		
MATERIALS	<p>Material: Quartz filter paper</p> <p>Regulatory Documentation Required:</p> <ul style="list-style-type: none"> <input type="checkbox"/> Biocompatibility according ISO 10993-1 <input type="checkbox"/> IMDS <input checked="" type="checkbox"/> Rohs, directive 2002/95/CE <input checked="" type="checkbox"/> BSE/TSE, directive 2003/32/CE <input type="checkbox"/> DEHP plasticizer and latex free <input type="checkbox"/> Aging <input checked="" type="checkbox"/> Reach 1907/2006/CE (hazardous substances regulation) <input type="checkbox"/> Dir. 67/548/CE and Reg. 1272/2008/CE (medical sector dangerous substances) <input checked="" type="checkbox"/> Conflict minerals <input type="checkbox"/> USP Class VI 																		

PRODUCT SPECIFICATION

Product PN 3029939, 1215162, 1215540, 1215541, 1215542

Mod. 984

Rev. 01

Description Glass Fiber Filters without Binder

PRODUCT CHARACTERISTICS	<ul style="list-style-type: none"> • Weight: 2.59 opsy • Thickness: 0.4445 mm • Frazier permeability: 7.2 L/m²/sec • Wet burst: 38.1 cm
PRODUCT SHELF LIFE	5 years in normal storage conditions: Store the product at room temperate, in a dry place, free of dust and not exposed to direct sunlight.
STERILIZATION	Not applicable - This is a non-sterile product.
PACKAGING AND LABELING	<ul style="list-style-type: none"> • Bulk packed filters in a gloss finished, chipboard box • Each box will be labeled with: <ul style="list-style-type: none"> ○ Quantity ○ Product item code and description ○ Lot number ○ Storage conditions
CERTIFICATE OF COMPLIANCE	A conformity declaration will be sent to the customer for each shipment with lot number and date of manufacture. The Quality management system is in compliance with ISO 9001.

This material specification describes the properties of product above indicated.
This document contains general requirements, material description, drawing references, defect specification, and biological material requirements.

REVISIONS AND APPROVALS:

DATE	REV	REASON FOR CHANGE	ISSUED AND CONTROLLED BY: (name /function and signature)	APPROVED BY: (name /function and signature)
11/4/19	0	Initial release	Joe DeSisto, Director, Process Engineering 	Kevin Wrigley/Director of Quality 



FILTER TECHNOLOGY

PRODUCT SPECIFICATION

Product PN 3029939, 1215162, 1215540, 1215541, 1215542

Mod. 984

Description Glass Fiber Filters without Binder

Rev. 01

CUSTOMER APPROVAL:

We accept this material specification as a part of the agreed terms of delivery.

Company name _____

Approved by: _____
(Name, Function) (Signature)

Date _____
(Company stamp)

Please send back this document signed for approval. If we will not receive this specification signed, we consider the first order placed as implicit approval.