

PRODUCT SPECIFICATION

Product PN

FP055DFA41QANC01, FP070DFA41QANC01, FP090DFA41QANC01,
FP110DFA41QANC01, FP125DFA41QANC01, FP150DFA41QANC01,
FP185DFA41QANC01, FP240DFA41QANC01, FP320DFA41QANC01

Mod. 984

Rev. 01

Description

Quantitative Filter Papers

Quantitative Filter Papers – Ashless, Medium



PRODUCT DESCRIPTION

Quantitative filter paper, medium retention and fast flow filter paper.

Part Number	Diameter	Quantity/pk
FP055DME43QANC01	55 mm	100/Pk
FP070DME43QANC01	70 mm	100/Pk
FP090DME43QANC01	90 mm	100/Pk
FP110DME43QANC01	110 mm	100/Pk
FP125DME43QANC01	125 mm	100/Pk
FP150DME43QANC01	150 mm	100/Pk
FP185DME43QANC01	185 mm	100/Pk
FP240DME43QANC01	240 mm	100/Pk
FP320DME43QANC01	320 mm	100/Pk

MANUFACTURE NAME

GVS North America, Inc.
63 Community Drive
Sanford, ME 04073
Phone: +1.866.736.1250
Email: CustomerCareGVSLs@gvs.com
Website: www.gvs.com

INTENDED USE/ APPLICATION

Typical Applications:

- Quantitative analysis
- Food analysis
- Soil analysis
- Industrial analysis

MATERIALS

Material: Quartz filter paper

Regulatory Documentation Required:



- ☐ Biocompatibility according ISO 10993-1
- ☐ IMDS
- ☒ Rohs, directive 2002/95/CE
- ☒ BSE/TSE, directive 2003/32/CE
- ☐ DEHP plasticizer and latex free
- ☐ Aging
- ☒ Reach 1907/2006/CE (hazardous substances regulation)

PRODUCT SPECIFICATION

Product PN	FP055DFA41QANC01, FP070DFA41QANC01, FP090DFA41QANC01, FP110DFA41QANC01, FP125DFA41QANC01, FP150DFA41QANC01, FP185DFA41QANC01, FP240DFA41QANC01, FP320DFA41QANC01	Mod. 984
Description	Quantitative Filter Papers	Rev. 01

	<input type="checkbox"/> Dir. 67/548/CE and Reg. 1272/2008/CE (medical sector dangerous substances) <input checked="" type="checkbox"/> Conflict minerals <input type="checkbox"/> USP Class VI
PRODUCT CHARACTERISTICS	<ul style="list-style-type: none"> Weight: 80/gm2 Thickness: 170 um Retention Range: 20-25 um Ash content: <0.007%
PRODUCT SHELF LIFE	5 years in normal storage conditions: Store the product at room temperate, in a dry place, free of dust and not exposed to direct sunlight.
STERILIZATION	Not applicable - This is a non-sterile product.
PACKAGING AND LABELING	<ul style="list-style-type: none"> 100 bulk packed filters in a gloss finished, chipboard box Each box will be labeled with: <ul style="list-style-type: none"> Quantity Product item code and description Lot number Storage conditions
CERTIFICATE OF COMPLIANCE	A conformity declaration will be sent to the customer for each shipment with lot number and date of manufacture. The Quality management system is in compliance with ISO 9001.
This material specification describes the properties of product above indicated. This document contains general requirements, material description, drawing references, defect specification, and biological material requirements.	

REVISIONS AND APPROVALS:

DATE	REV	REASON FOR CHANGE	ISSUED AND CONTROLLED BY: (name /function and signature)	APPROVED BY: (name /function and signature)
6/8/18	0	Initial release	Gil Tavares/Process Development Engineer 	Kevin Wrigley/Director of Quality 

PRODUCT SPECIFICATION

Product PN	FP055DFA41QANC01, FP070DFA41QANC01, FP090DFA41QANC01, FP110DFA41QANC01, FP125DFA41QANC01, FP150DFA41QANC01, FP185DFA41QANC01, FP240DFA41QANC01, FP320DFA41QANC01	Mod. 984
Description	Quantitative Filter Papers	Rev. 01

CUSTOMER APPROVAL:

We accept this material specification as a part of the agreed terms of delivery.

Company name _____

Approved by: _____
 (Name, Function) (Signature)

Date _____
 (Company stamp)

Please send back this document signed for approval. If we will not receive this specification signed, we consider the first order placed as implicit approval.